DEWALT®

ONSITE

NEWS & PROMOTIONS

OCTOBER - NOVEMBER 2020

FREE VIA REDEMPTION

18V XR 2AH BATTERY PACK

DCB183-XE

WHEN YOU PURCHASE

A SELECTED 18V XR NAILER BARE UNIT

18V XR 16GA FINISH NAILER - BARE UNIT

DCN661N-XE

18V XR FRAMING NAILER - BARE UNIT

DCN695N-XE

VISIT

GUARANTEEDTOUGH.CO.NZ

TO REDEEM TODAY

www.DEWALT.co.nz

GUARANTEED TOUGH®

FREE
VIA REDEMPTION

18V XR CIRCULAR SAW BARE TOOL
DCS391N-XE

WHEN YOU PURCHASE

A SELECTED 18V XR NAILER KIT

18V XR 16GA FINISH NAILER KIT
DCN661P2-XE

18V XR FRAMING NAILER KIT
DCN695P2-XE

FREE
VIA REDEMPTION

18V XR RANDOM ORBITAL SANDER BARE TOOL
DCW210N-XJ

WHEN YOU PURCHASE

108V 305mm XR FLEXVOLT MITRE SAW
DHS780T2A-XE

VISIT
GUARANTEEDTOUGH.CO.NZ
TO REDEEM TODAY

DEWALT

DEWALT®

ENGINEERED BY Powers™

WORLDWIDE LEADERS OF INNOVATIVE ANCHORS AND POWER TOOLS. NOW UNITED UNDER ONE BRAND.

COMPLETE SOLUTIONS

DEWALT® Tools are engineered and built by pros to get the toughest jobs done. Our relentless focus on cordless innovation allows the contractor to save time, save money and reduce risk on the job site.

Since 2012, DEWALT® engineers have collaborated with POWERS™, world-class designers of mechanical and chemical anchoring systems, to create integrated construction solutions focused on performance and productivity.

Now, we are merging all of our anchors products to create a complete cordless installation tool and construction anchoring system under one brand.

FAILURE IS NOT AN OPTION

BUY SAFE. BUY SEISMIC.

The Blue-Tip 2 is designed with built-in redundancies to protect against system failure in the worst-case scenario. As a National Code Compliant Anchor, the Blue-Tip 2 has had design and testing approved by the European Technical Authority (ETA) for use in extreme environmental conditions such as Earthquakes (Seismic), high-wind load conditions and Fire.

The Blue-Tip 2 provides peace of mind – this is the best anchor for the job.

BLUE-TIP 2 SCREW-BOLT™

APPROVALS



FAST INSTALLATION
Compatible with impact wrenches. Anchor design allows fast installation with powered impact wrenches

SMALL EDGE DISTANCE INSTALLATION
Install closer to concrete edge that traditional anchors. 1 piece non-expansion construction allows anchors to be installed closer to concrete edge and other anchors

HEAD RATCHET TEETH
Increased protection against back-out
Provides strong and secure lock-down against fixture

LOW INSTALLATION TORQUE
Dust relief thread profile
Improves speed & reduces effort for faster installation

ENGINEERED STEEL
Effective installation into tough substrates. Designed to cut through hard concrete and maintain ductility

ONE PIECE DESIGN
Easy installation
Simple, quick installation.
No anchor assembly or pre-setting required

IMPROVED HEAD MARKING
Clear, intuitive markings
Easy identification of size and approval both pre and post installation

INSTALLATION

The Blue-Tip 2 can be installed with whichever tools you typically use for the application. However, we strongly recommend:

- The appropriate torque wrench, to ensure you don't over work the head
- For un-cleaned holes deeper hole depths may be required to minimize the possibility of over-torquing the anchor.

BLUE-TIP 2 DIAMETER	6 - 8MM	10MM	12 -16MM
INSTALLATION TOOL*			
MAXIMUM IMPACT WRENCH TORQUE	DCF880, DCF887 203 NM	DCF894 (POS. 3), DCF899 (POS. 2) 440 NM	DCF894 (POS. 3), DCF899 (POS. 3) 950 Nm

*Refer to your tool's torque settings.

DEWALT

FREE VIA REDEMPTION

18V XR 3 SPEED IMPACT DRIVER

DCF887N-XE

WHEN YOU PURCHASE

A SELECTED DEWALT 54V KIT*

54V XR FLEXVOLT BRUSHLESS
184MM CIRCULAR SAW KIT
DCS575T2-XE

54V XR FLEXVOLT BRUSHLESS
125MM GRINDER KIT
DCG414T2-XE

*OFFER AVAILABLE WITH DCS575T2-XE & DCG414T2-XE WHILE STOCKS LAST

PURCHASE

A SELECTED DEWALT 54V BARE UNIT

54V XR FLEXVOLT BRUSHLESS
184MM CIRCULAR SAW BARE TOOL
DCS575N-XE

54V XR FLEXVOLT BRUSHLESS
125MM GRINDER BARE TOOL
DCG414N-XJ

54V XR FLEXVOLT BRUSHLESS
RECIPROCATING SAW BARE TOOL
DCS388N-XJ

FREE VIA REDEMPTION

DEWALT HOODIE**

**OFFER AVAILABLE WITH DCS575N-XE, DCG414N-XJ & DCS388N-XJ WHILE STOCKS LAST

VISIT
GUARANTEEDTOUGH.CO.NZ
TO REDEEM TODAY

XR FLEX VOLT

DEWALT

COMING SOON

18V AXIAL BLOWER
DCMBL562N-XE

- Efficient Brushless Motor
- Cruise Control Feature
- Optimum Balance & Weight Distribution
- Aerospike Concentrator
- Ergonomic, Light & Compact

DCMBL562N-XE	
Voltage	18V
Air Volume	450CFM
Air speed	200 km/h
Trigger	Paddle Style
Weight	3.6 kg

18V XR BRUSHLESS AXIAL BLOWER - BARE UNIT
DCMBL562N-XE

Delivering an unbeatable combination of powerful airflow, ergonomics and extensive runtime, the new cordless Axial Blower provides exceptional manoeuvrability and performance for a multitude of jobsite, workshop and landscaping clean-up applications. Appropriate for both indoor or outdoor use, the versatile DCMBL562 has been designed to clear the most stubborn dirt and residue, thanks to its integrated Aerospike Concentrator, which focuses the airflow on the task in hand.

18V / 54V 5 PIECE KIT 6AH

XR FLEXVOLT XR

DCZ596T2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- XR FAST Charger
- 2 x DEEP TSTAK VI

54V XR FLEXVOLT

- DCS575 54V XR 184mm Circ Saw
- DCG414 54V XR 125mm Angle Grinder
- DCS388 54V XR Reciprocating Saw
- 2 x 6.0Ah 18V/54V XR FLEXVOLT Batteries

KIT INCLUDES

MODEL	XRP 3 SPEED HAMMER DRILL DCD996	3 SPEED IMPACT DRIVER DCF887	54V XR 184MM CIRC SAW DCS575	54V XR 125MM ANGLE GRINDER DCG414	54V XR RECIPROCATING SAW DCS388
FEATURE	3 Speed Mechanical Gearing	High powered brushless motor	Dust blower	Electronic Brake	54V Brushless Motor
ADVANTAGE	0-450/1,300/2,000 RPM	Delivers 205Nm of torque	Clear line of sight	Safety and tool protection	Improved performance in demanding applications
BENEFIT	Increased runtime and longer tool life	Ensures heavy applications are completed quickly	Optimal precision	Stops the wheel quickly when the trigger is disengaged	Maximum power
FEATURE	LED light	Precision Drive	54V Brushless Motor	Mesh covers	Variable speed
ADVANTAGE	3 Position LED torch	3 motor speeds and torque settings	High torque	Increases tool life	Intelligent variable speed trigger
BENEFIT	High/Medium/Low settings with High output	Application control	Durability and power for cutting job site and joinery materials	Mesh cover over air intake vents restricts dust being sucked through the motor	Maximum precision and control
FEATURE	Electronic clutch	0.94kg	Quick change depth/ bevel adjustments	Electronic Clutch	Two position blade clamp
ADVANTAGE	11 position adjustable torque control	Super lightweight & compact	Variable adjustment of the bevel angle to 57 degrees	Safety and tool protection	Flush cutting
BENEFIT	Optimised precision when screw driving	Comfortable to use & fits in small places	Optimum balance for safe, fatigue free operation	Reduces the kickback in the event of a pinch or stall	Increased versatility

FREE VIA REDEMPTION
18V XR 5AH BATTERY PACK
DCB184-XE

WHEN YOU PURCHASE
18V/54V XR BRUSHLESS 5 PIECE KIT
DCZ596T2T-XE

18V / 54V XR BRUSHLESS KITS

18V / 54V 4 PIECE KIT 9AH
DCZ441X2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- DCF899 3 Speed High Torque Impact Wrench
- XR FAST Charger
- 2 x DEEP TSTAK VI

54V XR FLEXVOLT

- DCG414 54V XR 125mm Angle Grinder
- 2 x 9.0Ah 18V/54V XR FLEXVOLT Batteries

FREE VIA REDEMPTION
18V XR 5AH BATTERY PACK
DCB184-XE

WHEN YOU PURCHASE
A SELECTED 18/54V XR BRUSHLESS PIECE KIT
DCZ441X2T-XE

18V / 54V 3 PIECE KIT 9AH
DCZ333X2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- DEEP TSTAK VI & TSTAK II
- XR FAST Charger

54V XR FLEXVOLT

- DCH333 54V XR 3kg SDS-PLUS Rotary Hammer
- 2 x 9.0Ah 18V/54V XR FLEXVOLT Batteries

18V / 54V 3PC KIT 6AH
DCZ357T2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- XR FAST Charger
- DEEP TSTAK VI & TSTAK II

54V XR FLEXVOLT

- DCS575 54V XR 184mm Circ Saw
- 2 x 6.0Ah 18V/54V XR FLEXVOLT Batteries

18V / 54V 3PC KIT 6AH
DCZ341T2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- XR FAST Charger
- 2 x TSTAK II

54V XR FLEXVOLT

- DCG414 54V XR 125mm Angle Grinder
- 2 x 6.0Ah 18V/54V XR FLEXVOLT Batteries

FREE VIA REDEMPTION
54V XR FLEXVOLT BRUSHLESS AXIAL BLOWER
DCMBA572N-XE

WHEN YOU PURCHASE
A SELECTED 18/54V XR BRUSHLESS PIECE KIT
DCZ333X2T-XE, DCZ357T2T-XE, DCZ341T2T-XE

18V XR BRUSHLESS KITS

18V XR BL 3PC KIT 5AH
DCK321P2-XE

- DCD796 2 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- DCG405 125mm Angle Grinder Slide Switch

Kit Includes:

- 2 x 5Ah 18V XR Batteries
- DCB115-XE Multi-Voltage Charger
- Contractor Bag
- TSTAK II

FREE VIA REDEMPTION
18V XR 5AH BATTERY PACK
DCB184-XE

WHEN YOU PURCHASE
A SELECTED 18V XR BRUSHLESS KIT
DCK321P2-XE, DCK296T2T-XE, DCK296P2T-XE

18V XRP 2 PIECE KIT 6AH
DCK296T2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- XR FAST Charger
- DEEP TSTAK VI

54V XR FLEXVOLT

- 2 x 6.0Ah 18V/54V XR FLEXVOLT Batteries

18V XRP BL 2PC KIT 5AH
DCK296P2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver

Kit Includes:

- 2 x 5Ah 18V XR Batteries
- XR FAST Charger
- DEEP TSTAK II

18V XRP BL KIT 5AH
DCD996P2-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- No Load Speed: 0-450/1,500/2,000RPM
- 820 UWO

Kit Includes:

- 2 x 5Ah 18V XR Batteries
- DCB115-XE Multi-Voltage Charger
- TSTAK Kit Box

FREE VIA REDEMPTION
18V XR JOBSITE BLOWER
DCV100-XE

WHEN YOU PURCHASE
A SELECTED 18V XR BRUSHLESS KIT
DCD796P2-XE, DCD996P2-XE

18V XR BL KIT 5AH
DCD796P2-XE

- DCD796 XR 2 Speed Hammer Drill Driver
- No Load Speed: 0-600/2,000RPM
- 15 Position Adjustable Torque

Kit Includes:

- 2 x 5Ah 18V XR Batteries
- DCB115-XE Multi-Voltage Charger
- TSTAK Kit Box

FAST PRECISION LEVELLING

10.8V 3 X 360° CROSS LINE LASER

DCE089D1G-XE

Type	Line 3x 360°
Levelling Type	Self-levelling ± 4°
Laser Class	2
Accuracy @ 10m	±0.3mm/m
Working Range	30m (Rad) / 40m (Dia)
Working Range (with detector)	50m (Rad) / 100m (Dia)
Beam	Green
Mount Thread	1/4" & 5/8"
Battery Compatibility	10.8V / 12V
IP Rating	IP65

DW 10.8V 2 SPOT CROSS GREEN

DCE0822D1G-XE

DW 1080 LINE LASER 10.8V GREEN – ANZ

DCE089D1G-XE

FREE VIA REDEMPTION

LASER TRIPOD

DE0881T-XJ

WHEN YOU PURCHASE

SELECTED GREEN LASER PRODUCTS

DCE0822D1G, DCE089D1G-XE

XR COMPACT TASK LIGHT

DCL077-XJ

- Maximum 2000 Lumen output
- LED Technology
- 3 Light Settings
- Up to 20 hours runtime*

LED PIVOT SPOT LIGHT

DCL043-XE

- 100-1000 Lumen output
- 400m distance
- Articulating lamp head
- Up to 10 hours runtime*

LED PIVOT TASK LIGHT

DCL050-XE

- 250-500 Lumen output
- 9 position articulating lamp head
- Broad and even beam pattern
- Up to 10 hours runtime*

*Runtime based on a 18V XR 5Ah Battery Pack.

18V XR HIGH POWERED SDS+ ROTARY HAMMER 5.0AH

DCH283P2-XE

- No Load Speed 0 - 980rpm
- Max. Drilling Capacity Concrete 26mm
- Hand/Arm Vibration - drilling into Concrete 8.5m/s2
- Blows Per Minute 0 - 4480bpm
- Impact Energy 2.8J

Kit Includes:

- 2 x 5AH 18V XR Batteries
- DCB115-XE MULTI-VOLTAGE CHARGER

FREE VIA REDEMPTION

18V XR BRUSHLESS 3 SPEED IMPACT DRIVER

DCF887N-XE

54V XR FLEXVOLT SDS+ 3-MODE HAMMER DRILL KIT 9.0AH

DCH333X2-XE

- No Load Speed 0 - 1000rpm
- Max. Drilling Capacity Concrete 30mm
- Hand/Arm Vibration - drilling into Concrete 7.5m/s2
- Blows Per Minute 0 - 4480bpm
- Impact Energy 3.5J

Kit Includes:

- 2 X 9AH 18V/54V XR FLEXVOLT Batteries
- XR FAST CHARGER
- T-STAK KIT BOX

FREE VIA REDEMPTION

18V XR BRUSHLESS 3 SPEED IMPACT DRIVER

DCF887N-XE



54V XR FLEXVOLT CUT OFF SAW DCS690

The DCS690 delivers unrivalled cordless performance with a 54V brushless motor without the hassle of pull cord start up, petrol fumes or engine maintenance.
The 230mm blade offers an 83mm depth of cut with an adjustable dual feed water system to manage dust.
Sealed battery housing prevents dust and water ingress and a heavy load indicator helps the user cut with the optimized force.

DCS690	
Blade diameter	230 mm
Bore size	22.2 mm
Max. cutting capacity	83 mm
No load speed	6600 rpm
Weight	6.7 kg

FREE VIA REDEMPTION
230MM DIAMOND WHEEL
DT40260-QZ

WHEN YOU PURCHASE
54V XR FLEXVOLT CUT OFF SAW
DCS690N-XJ, DCS690X2-XE

ABRASIVE CHOP SAW
D28730-XE

- High power abrasion protected motor delivers high overload capabilities for greater durability
- Horizontal handle for superior ergonomics and less user fatigue
- Quick release clamp results in less time in changing the work piece
- Spindle lock for quick and easy wheel change
- Adjustable spark guard allows user to control the direction of the sparks coming from the machine

Power Output	2200W
No Load Speed	4000rpm
Wheel Diameter	355mm
Weight	17.2kgs

FREE VIA REDEMPTION
900W 125MM ANGLE GRINDER
DWE4151-XE

WHEN YOU PURCHASE
ABRASIVE CHOP SAW
D28730-XE

CORDLESS DUST EXTRACTION IS HERE!

FREE VIA REDEMPTION
DEWALT TSTAK CARRIER
DWST1-71229

WHEN YOU PURCHASE
A 54V FLEXVOLT M-CLASS EXTRACTOR BARE UNIT OR KIT
DCV586MN-XJ, DCV586MT2-XE

DUST

54V XR FLEXVOLT M-CLASS DUST EXTRACTOR DCV586M

Powered by 54V XR FLEXVOLT technology the DCV586M is the ultimate dust extraction solution for a new generation of cordless tools and the key to unlocking the cordless jobsite.

The DEWALT BRUSHLESS motor and high capacity XR FLEXVOLT battery coupled with dual M-Class certified filters with automatic cleaning delivers powerful, constant performance and runtime for the most demanding applications.

Other features include a remote for wireless operation, a recessed battery housing to protect from jobsite conditions and TSTAK compatibility.

DCV586MT2-XE*	
Filter clean	Automatic
Wet / dry	Yes
Tool actuation	Wireless keyfob
Capacity	11 L
Hose length	2.5 m

*AVAILABLE AS BARE TOOL DCV586MN-XJ

WIRELESS TOOL CONTROL

AIR LOCK

2x

FREE VIA REDEMPTION
FLOOR CLEANING KIT
DWV9350-XJ

WHEN YOU PURCHASE
A 1400W 38L M-CLASS DUST EXTRACTOR
DWV902M-XE

1400W 38L M-CLASS DUST EXTRACTOR DWV902M-XE

DUST MANAGEMENT

Advanced Dust Extraction Solutions.

The Perform & Protect dust certification logo guarantees that the risks of dust inhalation are considerably reduced, to work in a cleaner and more secure environment.

DUST

DWV902M	
Power Input	1400W
Max Airflow	31.1l/sec
Capacity	38L
Power Take Off Rating	1000W
Wet/Dry	Yes



GUARANTEED TOUGH MACHINERY

254MM (10") HEAVY DUTY TABLE SAW 2000W
DWE7491-XE

DWE7491-XE	
Rip Capacity	825mm
Max. D.O.C.	79mm @ 90°
Weight	26.6kg

Includes:
- 24 tooth saw blade
- Mitre attachment
- 2 blade spanners & push stick
- Rack & Pinion Fence for Increased Accuracy & ease of use

FREE VIA REDEMPTION
1350W CIRCULAR SAW
DWE560-XE

1850W PORTABLE LIGHTWEIGHT TABLE SAW 210MM
DWE7485-XE
- 610mm Right Rip Capacity
- Dual Rack & Pinion fence adjustment
- D.O.C. 65mm
- 20.5kg

FREE VIA REDEMPTION
125MM RANDOM ORBITAL SANDER
DWE6423-XE

WHEN YOU PURCHASE
1850W PORTABLE LIGHTWEIGHT TABLE SAW 210MM
DWE7485-XE

MAX IMPACT™ SCREWDRIVER BITS
HOLDERS, IMPACT BITS & EXTENSION DRIVERS

DEWALT MAX IMPACT™ is the ultimate range in impact screwdriving bits for both soft joint and hard joint applications. The range includes insert bits, power bits, nutsetters and adaptors.

Manufactured with single or dual impact zones; torsion zones maximise the service life of the bit by allowing it to absorb higher torque loads from commonly used impact drill drivers. This leads to 50X longer service life compared to standard screwdriver bits.

KEY PRODUCTS

Cat. No.	Description	Pack Qty.
DW2045 G	DEWALT 76mm Magnetic Bit Holder	1
DWA3PH2MI	MAX IMPACT 89mm PH2 Power Bit	1
DWA6PH2MI	MAX IMPACT 150mm PH2 Power Bit	1
DWA2PH2MI2	MAX IMPACT 63.5mm PH2 Power Bit	2
DWA6EXTMI	MAX IMPACT 1/4 Extension Driver 152mm	1
DWA12EXTMI	MAX IMPACT 1/4 Extension Driver 300mm	1
DWA1PH2MI30	MAX IMPACT 25mm PH2 Insert Bit	30

76MM MAGNETIC BIT HOLDER

25MM PH2 INSERT BITS POCKET CASE 30 PACK

63MM, 89MM & 152MM PH2 POWER BITS

150 & 300MM EXTENSION DRIVERS

2 x 54V XR FLEXVOLT 305MM SLIDING MITRE SAW

XR FLEXVOLT

54V XR FLEXVOLT

DHS780T2A-XE

Power Input	2 x 54V Cordless or 230V AC
Blade Speed	3800RPM
Blade Diameter	305mm
Blade Bore	25.4mm
Mitre Capacity	60/50°
Bevel Capacity	49/49°
Max. Depth of Cut	170mm
Width x Height x Depth	770 x 369 x 470mm
Weight	25kg

- UP TO **161 CUTS** 100 x 100mm PRESSURE TREATED PINE
- UP TO **289 CUTS** 90mm BASE MOULDING

Kit Includes

- 2 x 6.0Ah 18/54V XR FLEXVOLT Battery Packs
- XR Dual Port Charger
- AC Power Adaptor

X \ Y	X	Y	Z	•	X	Y
90° 90°	303 mm	110 mm	410 mm	33 mm	44 mm	170 mm
45° 90°	330 mm	58 mm	345 mm	44 mm	25 mm	170 mm
90° 45°	211 mm	112 mm	244 mm	76 mm		
45° 45°	315 mm	50 mm				

XPS CROSS CUT POSITIONING SYSTEM



FREE VIA REDEMPTION
18V XR 125MM RANDOM ORBITAL SANDER
DCW210N-XJ

305MM SLIDING MITRE SAW

Compact portable design.

DWS780-XE (CORDED 230V)

Power Input	1675W
Blade Speed	3800RPM
Blade Diameter	305mm
Blade Bore	25.4mm
Mitre Capacity	60/50°
Bevel Capacity	49/49°
Max. Depth of Cut	170mm
Width x Height x Depth	770 x 396 x 470mm
Weight	25kg

Kit Includes

- 60 Tooth Blade
- Dust Bag
- Blade Spanner
- Material clamp

X \ Y	X	Y	Z	•	X	Y
90° 90°	303 mm	110 mm	410 mm	33 mm	44 mm	170 mm
45° 90°	330 mm	58 mm	345 mm	44 mm	25 mm	170 mm
90° 45°	211 mm	112 mm	244 mm	76 mm		
45° 45°	315 mm	50 mm				

XPS CROSS CUT POSITIONING SYSTEM

FREE VIA REDEMPTION
125MM RANDOM ORBITAL SANDER
DWE6423-XE

WHEN YOU PURCHASE
305MM SLIDING MITRE SAW
DWS780-XE

OUTDOOR POWER EQUIPMENT

54V XR FLEXVOLT BRUSHLESS AXIAL BLOWER
DCMBA572N-XE (BARE)

- Air Speed: 200km/h
- Air Volume: 650CFM
- Control: Variable speed trigger
- Ease of Use: Lock-On Trigger at desired speed
- Axial Design provides optimized balance

54V XR FLEXVOLT BRUSHLESS SPLIT SHAFT LINE TRIMMER
DCM5713N-XE (BARE)

- Power Output: 530W
- Runtime: 46min (DCB547-XE)*
- Cut Speed: 0-5600/6600RPM
- Cut Capacity: 38cm Swathe, 2.0mm line
- Control: Variable speed trigger
- Noise Power: 94dB(A)
- Vibration: 10.1m/s²

54V XR FLEXVOLT CHAINSAW
DCM575N-XE (BARE)

- Up to 130 cuts per charge (DCB547-XE)*
- 40cm bar & chain (3/8 low profile 90PX)
- 15m/s chain speed with variable speed trigger
- High efficiency brushless motor
- Chain brake safety stops in under 1 second
- Tool free bar fitment, chain tensioning & auto oiling



18V XR HEDGE TRIMMER
DCMHT563N-XE (BARE)

- 55cm hardened steel, laser-cut dual-action blade,
- 25mm blade
- Blade strokes 1400/min
- Ergonomically designed with optomised weight and balance
- Up to 75min runtime(DCB184-XE)*

18V XR BRUSHLESS SPLIT SHAFT LINE TRIMMER
DCMST561N-XE (BARE)

- Up to 40 mins runtime (DCB184-XE)*
- 36cm swathe with 2.0mm line
- Variable 2 speed control
- Split shaft and folding hinge
- High efficiency BRUSHLESS motor
- Quick Load™ spool system ensures easy loading of 2mm twisted DEWALT line

18V XR BRUSHLESS CHAINSAW
DCM565N-XE (BARE)

- Power Output: 600W
- Runtime: 70cuts at 100x100mm (DCB184-XE)*
- Chain Speed: 8m/s
- Cut Capacity: 30cm, 3/8"
- Maintenance: Tool-free with auto oiling
- Noise Power: 96.5dB(A)
- Vibration: 3.5m/s²

* RUNTIME (DCB184-XE) 5AH BATTERY
(DCB547-XE) 6AH BATTERY

OUTDOOR POWER EQUIPMENT

2 X 18V XR BRUSHLESS MOWER
DCMW564P2-XE (KIT)

- Power Output: 1400W
- Runtime: 800m² (2x DCB184)
- Collection Bag: 55L
- Cut Capacity: 48cm with 51cm Metal deck
- 5 Cutting Heights: 25-86mm
- Noise Power: 92dB(A)
- Vibration: 2.5m/s²



18V XR POLE HEDGE TRIMMER
DCMPH566N-XE (BARE)

- 55cm hardened steel, laser-cut dual-action blade,
- 25mm blade
- 7-position 180° pivoting and articulating head
- Up to 75min runtime(DCB184-XE)*
- Max reach 3.35m***

18V XR BRUSHLESS POLE SAW - BARE UNIT
DCMPS567N-XE (BARE)

- Powerful 18V Brushless Motor
- 20cm Low Kick Back Bar and Chain
- Metal Bucking Strips and Tree Hook
- 1.5m reach extendable to 4.5m

FREE VIA REDEMPTION
18V XR HANDHELD LED WORKLIGHT
DCL050N-XE

WHEN YOU PURCHASE

SELECTED TOOLS FROM THE 54V & 2 X 18V LANDSCAPING RANGE

54V XR FLEXVOLT CHAINSAW
DCM575N-XE

54V XR FLEXVOLT BRUSHLESS SPLIT SHAFT LINE TRIMMER
DCM5713N-XE

54V XR FLEXVOLT BRUSHLESS AXIAL BLOWER
DCMBA572N-XE

2 X 18 XR BRUSHLESS MOWER
DCMW564P2-XE

FREE VIA REDEMPTION
18V XR 5AH BATTERY PACK
DCB184-XE

WHEN YOU PURCHASE

A SELECTED 18V XR BARE UNIT FROM THE LANDSCAPING RANGE

18V XR BRUSHLESS CHAINSAW
DCM565N-XE

18V XR BRUSHLESS POLE SAW
DCMPS567N-XE

18V XR POLE HEDGE TRIMMER
DCMPH566N-XE

18V XR HEDGE TRIMMER
DCMHT563N-XE

18V XR BRUSHLESS SPLIT SHAFT LINE TRIMMER
DCMST561N-XE

*3-IN-1 MOBILE BOX SYSTEM DWST83411-1 AVAILABLE FROM NOVEMBER

3-IN-1 MOBILE BOX SYSTEM IP54 DWST83411-1*

Built to withstand the roughest of jobsite environments, the acclaimed DEWALT® TSTAK™ modular, portable storage line-up has just been upgraded, making it more robust and flexible than ever before. Six products have been remodelled with significant updates, while remaining entirely compatible with the original TSTAK™ range.

Certified IP54 for ultimate resistance to moisture and dust. Reinforced with heavy duty metal latches for increased security and durability. Metal-Pin modular side stacking latches ensure excellent accessibility and longevity. Side stacking latches included on all modules in the range. Rugged TSTAK™ Clipboard protects documents, mobile devices and more.

DWST83411-1	
Water + Dust Seal	IP54
Side Latches	Metal-Pin
Weight Capacity	90kg
Internal Volume	57L
Tracker Ready Compartment	Yes
Wheels	7"

INTERLOCKING STACKABLE STORAGE | TSTAK™

SHALLOW BOX LONG HANDLE IP54
DWST83344-1
- Top organiser with fixed dividers in the lid for small parts
- 30kg load capacity
- Size: 330mm (W) x 440mm (L) x 185mm (H)

SHALLOW BOX IP54
DWST83345-1
- Foam insert for tool protection
- 30kg load capacity
- Size: 330mm (W) x 440mm (L) x 155mm (H)

DEEP BOX IP54
DWST83346-1
- Removable tray for quick access to small parts
- 30kg load capacity
- Size: 330mm (W) x 440mm (L) x 300mm (H)

DEEP BOX LONG HANDLE IP54
DWST83343-1
- Top organiser with fixed dividers in the lid for small parts
- 30kg load capacity
- Size: 323mm (W) x 440mm (L) x 338mm (H)

MOBILE STORAGE BOX IP54
DWST83347-1
- Durable 7" wheels and telescopic handle
- 30kg load capacity, 50kg when stacked
- Size: 512mm (W) x 435mm (L) x 1000mm (H)

WATERSEALED ORGANISER IP54
DWST82968-1
- Removable cups for small parts, accessories and long tools
- 10kg load capacity
- Size: 337mm (W) x 440mm (L) x 119mm (H)

OPEN TOTE
DWST1-71228
- Large interior for bulk storage
- 10kg load capacity
- Size: 275mm (W) x 440mm (L) x 320mm (H)

SINGLE DRAWER BOX
DWST1-70705
- Removable dividers for small parts organisation
- 7.5kg load capacity
- Size: 315mm (W) x 430mm (L) x 175mm (H)

DOUBLE DRAWER BOX
DWST1-70706
- Dividers for small parts organisation
- 7.5kg load capacity (3.75kg per drawer)
- Size: 320mm (W) x 430mm (L) x 180mm (H)

POWER TOOL TOTE
DWST82990-1
- 1200D Fabric with hard base
- 30kg load capacity
- Size: 450mm (W) x 250mm (L) x 350mm (H)

POWER TOOL BAG
DWST82991-1
- 1200D Fabric with hard base
- 30kg load capacity
- Size: 450mm (W) x 250mm (L) x 300mm (H)

CLIPBOARD
DWST82732-1
- External and internal storage
- 180° LED light
- Size: 35mm (W) x 285mm (L) x 415mm (H)

DEWALT®

WIN THE ULTIMATE TRADIE TRUCK & TRAILER TO

WORK PLAY HARD HARDER.

VALUED AT $152,000

PURCHASE ANY DEWALT PRODUCT FOR A CHANCE TO WIN A RAM 1500

EXPRESS CREW CAB V8 HEMI RAMBOX®
& DEWALT X2 PATRIOT CAMPER TRAILER*

ONE ENTRY FOR EVERY $1 SPENT
ENTER VIA WWW.GUARANTEEDTOUGH.CO.NZ

PARTNERED WITH RAM PATRIOT CAMPERS

*Conditions apply. For full terms and conditions visit www.GUARANTEEDTOUGH.co.nz. Promotion valid from 01/06/2020 until 31/12/2020.
Retain original receipt/s. Prize is a RAM 1500 EXPRESS & a DEWALT Patriot X2 Camper Trailer.

DEWALT
39 Business Parade North
East Tamaki Auckland
Telephone: 0800 339 258
Fax: 09 273 3392

www.DEWALT.co.nz

The yellow and black colour scheme is used on DeWALT Power Tools and Accessories as a trademark. DeWALT reserves the right to change any deal, and / or specification at any time without notice.
Onsite Offers promotion runs from 01/10/2020 - 30/11/2020.
Deals available while stocks last and only at participating stores.

DELIVERY MAY TAKE UP TO 45 DAYS FROM RECEIPT OF ENTRY, SIGNATURE REQUIRED UPON DELIVERY, ITEMS WILL NOT BE LEFT UNATTENDED. NO PO BOXES ACCEPTED. THIS OFFER CANNOT BE USED IN CONJUNCTION WITH ANY OTHER OFFER. SEE WEBSITE FOR FULL TERMS AND CONDITIONS. TO MAKE A CLAIM OR FOR FULL T&C'S GO TO: WWW.GUARANTEEDTOUGH.CO.NZ

Redemption offers are valid only to those consumers who purchase one of the selected DEWALT NZ products between October 1st - November 30th 2020. Proof of purchase is essential to validate claim. Receipt must clearly show model of tool purchased, date of purchase, place of purchase and the price paid to substantiate the claim. DEWALT NZ reserves the right to request further information regarding proof of purchase from the redeemer if circumstances warrant. Keep your original receipt for warranty purposes, as proof of purchase. Goods must be fully paid for at the time of purchase and on ONE receipt to be eligible. DEWALT NZ accepts no liability for claims that may be delayed, misdirected or lost in the mail causing them to not be received by the closing date. Redemption offers will be dispatched within 45 working days of receipt of the claim while stocks last. This redemption offer is not valid to employees of DEWALT NZ. All Redemption Offer claims must be received by 14th December 2020. This promotion cannot be used in conjunction with any other offer, limited stock available. Offer available while stocks last. An alternative redemption item may be provided at the discretion of DEWALT NZ. Offer only valid when product purchased through authorised resellers of DEWALT NZ. Offers exclude products purchased through parallel importers.

REGISTER AT

BE THE FIRST TO SEE PRODUCT NEWS AND SPECIAL OFFERS FROM DEWALT.
REGISTER AT MYDEWALT TO BE SENT ONSITE OFFERS BY EMAIL.
SIMPLY GO TO WWW.DEWALT.CO.NZ/MYDEWALT

MY DEWALT®